

# Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

sds no.: 153596 V005.3

Revision: 06.02.2012

printing date: 18.04.2012

3311 Medical Grade Adhesive

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3311 Medical Grade Adhesive

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Ultraviolet adhesive

## 1.3. Details of the supplier of the safety data sheet

Henkel Ireland Limited Product Safety & Regulatory Affairs Tallaght Business Park, Whitestown Dublin 24

Ireland

Phone: +353 (14046444) +353 (14519926) Fax-no.:

ua-productsafety.uk@uk.henkel.com

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification (DPD):

Xn - Harmful

R20 Harmful by inhalation.

Xi - Irritant

R36/37/38 Irritating to eyes, respiratory system and skin.

N - Dangerous for the

environment

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 2.2. Label elements

MSDS-No.: 153596 3311 Medical Grade Adhesive Page 2 of 10

V005.3

### Label elements (DPD):

Xn - Harmful

N - Dangerous for the environment





### Risk phrases:

R20 Harmful by inhalation.

R36/37/38 Irritating to eyes, respiratory system and skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Safety phrases:

S23 Do not breathe vapour.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of water and soap.

S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

### Additional labeling:

For consumer use only: S2 Keep out of the reach of children

S46 If swallowed, seek medical advice immediately and show this container or label.

#### Contains:

2-Propenamide, N,N-dimethyl-,

 $[3\hbox{-}(2,3\hbox{-}Epoxypropoxy)propyl] trime thoxy silane$ 

### 2.3. Other hazards

None if used properly.

## **SECTION 3: Composition/information on ingredients**

#### General chemical description:

UV curing acrylic adhesive

## Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		
Isobornyl acrylate	227-561-6	30- 60 %	Serious eye irritation 2
5888-33-5			H319
			Skin irritation 2
			H315
			Chronic hazards to the aquatic environment 2
			H411
			Specific target organ toxicity - single
			exposure 3
			H335
[3-(2,3-	219-784-2	1- 10 %	Serious eye damage/eye irritation 1
Epoxypropoxy)propyl]trimethoxysilane	01-2119513212-58		H318
2530-83-8			

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

MSDS-No.: 153596 V005.3

### Declaration of ingredients according to DPD (EC) No 1999/45:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		
Isobornyl acrylate	227-561-6	30 - 60 %	Xi - Irritant; R36/37/38
5888-33-5			N - Dangerous for the environment; R51/53
2-Propenamide, N,N-dimethyl-	220-237-5	10 - 30 %	T - Toxic; R21/22, R23
2680-03-7			
Ethanone, 2,2-dimethoxy-1,2-diphenyl-	246-386-6	1 - 10 %	N - Dangerous for the environment; R50/53
24650-42-8			
Diphenyl-2,4,6-trimethylbenzoyl	278-355-8	0,1 - 1 %	N - Dangerous for the environment; R51/53
phosphine oxide			Toxic for reproduction - category 3.; Xn - Harmful;
75980-60-8			R62
[3-(2,3-	219-784-2	1 - 10 %	Xi - Irritant; R41
Epoxypropoxy)propyl]trimethoxysilane	01-2119513212-58		
2530-83-8			

For full text of the R-Phrases indicated by codes see section 16 'Other Information'. Substances without classification may have community workplace exposure limits available.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

Consideration should be given to the possible effects of a faulty UV source (Stray radiation, ozone).

#### Skin contact:

Rinse with running water and soap.

Seek medical advice.

### Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

#### Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

SKIN: Redness, inflammation.

EYE: Irritation, conjunctivitis.

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media:

Carbon dioxide, foam, powder

### Extinguishing media which must not be used for safety reasons:

None known

### 5.2. Special hazards arising from the substance or mixture

None

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

MSDS-No.: 153596 3311 Medical Grade Adhesive Page 4 of 10

V005.3

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact.

#### **6.2. Environmental precautions**

Do not let product enter drains.

#### 6.3. Methods and material for containment and cleaning up

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

Wash spillage site thoroughly with soap and water or detergent solution.

#### 6.4. Reference to other sections

See advice in chapter 8

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Use only in well-ventilated areas.

Avoid skin and eye contact.

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

See advice in chapter 8

#### Hygiene measures:

Good industrial hygiene practices should be observed.

## ${\bf 7.2.}\ Conditions\ for\ safe\ storage, including\ any\ incompatibilities$

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

### 7.3. Specific end use(s)

Ultraviolet adhesive

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Valid for

Great Britain

None

### **Predicted No-Effect Concentration (PNEC):**

Name on list	Environmental Compartment	Exposure period	Value	Value			Remarks
			mg/l	ppm	mg/kg	others	
[3-(2,3- Epoxypropoxy)propyl]trimethoxysilane 2530-83-8	aqua (freshwater)		1 mg/l				
[3-(2,3- Epoxypropoxy)propyl]trimethoxysilane 2530-83-8	aqua (marine water)		0,1 mg/l				
[3-(2,3- Epoxypropoxy)propyl]trimethoxysilane 2530-83-8	aqua (intermittent releases)		1 mg/l				
[3-(2,3- Epoxypropoxy)propyl]trimethoxysilane 2530-83-8	soil				0,13 mg/kg		

3311 Medical Grade Adhesive Page 5 of 10

MSDS-No.: 153596 V005.3

#### **Derived No-Effect Level (DNEL):**

Name on list	Application	Route of	Health Effect	Exposure	Value	Remarks
	Area	Exposure		Time		
[3-(2,3-	worker	dermal	Acute/short term		21 mg/kg bw/day	
Epoxypropoxy)propyl]trimethoxysilane			exposure -			
2530-83-8			systemic effects			
[3-(2,3-	worker	inhalation	Acute/short term		147 mg/m3	
Epoxypropoxy)propyl]trimethoxysilane			exposure -			
2530-83-8			systemic effects			
[3-(2,3-	worker	inhalation	Long term		147 mg/m3	
Epoxypropoxy)propyl]trimethoxysilane			exposure -			
2530-83-8			systemic effects			

#### 8.2. Exposure controls:

Respiratory protection:

Use only in well-ventilated areas.

#### Hand protection:

The use of chemical resistant gloves such as Nitrile are recommended.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Tightly fitting safety goggles

Skin protection:

Wear suitable protective clothing.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance lianid light yellow Odor mild

No data available / Not applicable

> 93 °C (> 199.4 °F) Initial boiling point 77,2 °C (170.96 °F) Flash point

Decomposition temperature No data available / Not applicable No data available / Not applicable Vapour pressure

Density 1,1013 g/cm3

()

Bulk density No data available / Not applicable No data available / Not applicable Viscosity Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable

Solubility (qualitative) Slight

(Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable V005.3

Flammability
Auto-ignition temperature
No data available / Not applicable
Explosive limits
No data available / Not applicable
Partition coefficient: n-octanol/water
No data available / Not applicable
Evaporation rate
No data available / Not applicable
Vapor density
No data available / Not applicable
Oxidising properties
No data available / Not applicable
No data available / Not applicable

### 9.2. Other information

No data available / Not applicable

## **SECTION 10: Stability and reactivity**

Page 6 of 10

#### 10.1. Reactivity

Reaction with strong acids. Reacts with strong oxidants.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

See section reactivity

#### 10.4. Conditions to avoid

Stable under normal conditions of storage and use. Protect from direct sunlight.

1 Toteet from direct sumight.

## 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

carbon oxides.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### General toxicological information:

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

## Oral toxicity:

May cause irritation to the digestive tract.

### Inhalative toxicity:

Harmful by inhalation. Irritating to respiratory system

## Skin irritation:

Irritating to the skin.

### Eye irritation:

Irritating to eyes.

#### Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	LD50 LC50 LD50	> 5,3 mg/l	oral inhalation dermal		rat rat rabbit	OECD Guideline 401 (Acute Oral Toxicity) OECD Guideline 403 (Acute Inhalation Toxicity) OECD Guideline 402 (Acute Dermal Toxicity)

3311 Medical Grade Adhesive

MSDS-No.: 153596 V005.3

### Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
[3-(2,3-	not irritating	24 h	rabbit	OECD Guideline 404 (Acute
Epoxypropoxy)propyl]tri				Dermal Irritation / Corrosion)
methoxysilane				
2530-83-8				

#### Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	highly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

## Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

## Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	A Mutagenic potential cannot be excluded.	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	A Mutagenic potential cannot be excluded.			mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

### Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	NOAEL=500 mg/kg	oral: unspecified	28 d	rat	OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
[3-(2,3- Epoxypropoxy)propyl]tri methoxysilane 2530-83-8	NOAEL=0,225 mg/kg	inhalation	14 d	rat	OECD Guideline 412 (Repeated Dose Inhalation Toxicity: 28/14-Day)

# **SECTION 12: Ecological information**

## General ecological information:

Do not empty into drains / surface water / ground water.

Toxic to aquatic organisms

May cause long-term adverse effects in the aquatic environment.

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

## Mobility:

Cured adhesives are immobile.

MSDS-No.: 153596 3311 Medical Grade Adhesive

V005.3

# 12.1. Toxicity

Hazardous components CAS-No.	Value type	Value	Acute Toxicity	Exposure time	Species	Method
			Study			
Isobornyl acrylate 5888-33-5	EC50	1 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute
						Immobilisation Test)
Isobornyl acrylate 5888-33-5	IC50	4,2 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Ethanone, 2,2-dimethoxy-1,2-diphenyl-24650-42-8	LC50	7,2 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Ethanone, 2,2-dimethoxy-1,2-diphenyl- 24650-42-8	EC50	26 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Ethanone, 2,2-dimethoxy-1,2-diphenyl-24650-42-8	EC50	0,17 mg/l	Algae	72 h	Scenedesmus sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)
Diphenyl-2,4,6- trimethylbenzoyl phosphine oxide 75980-60-8	LC50	1 - 10 mg/l	Fish	48 h	Oryzias latipes	OECD Guideline 203 (Fish, Acute Toxicity Test)
Diphenyl-2,4,6- trimethylbenzoyl phosphine oxide 75980-60-8	EC50	10 - 100 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Diphenyl-2,4,6- trimethylbenzoyl phosphine oxide 75980-60-8	EC50	10 - 100 mg/l	Algae	72 h		OECD Guideline 201 (Alga, Growth Inhibition Test)
[3-(2,3- Epoxypropoxy)propyl]trimeth oxysilane 2530-83-8	LC50	55 mg/l	Fish	96 h	Cyprinus carpio	OECD Guideline 203 (Fish, Acute Toxicity Test)
[3-(2,3- Epoxypropoxy)propyl]trimeth oxysilane 2530-83-8	EC50	473 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
[3-(2,3- Epoxypropoxy)propyl]trimeth oxysilane 2530-83-8	EC50	255 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)

Page 8 of 10

# 12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Isobornyl acrylate 5888-33-5		no data	72,9 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Diphenyl-2,4,6- trimethylbenzoyl phosphine oxide 75980-60-8			< 20 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
[3-(2,3- Epoxypropoxy)propyl]trimeth oxysilane 2530-83-8		aerobic	37 %	OECD Guideline 301 A (new version) (Ready Biodegradability: DOC Die Away Test)

# 12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			

3311 Medical Grade Adhesive

MSDS-No.: 153596 V005.3

Isobornyl acrylate 5888-33-5	4,21			OECD Guideline 107 (Partition Coefficient (noctanol / water), Shake Flask Method)
Ethanone, 2,2-dimethoxy-1,2-diphenyl-24650-42-8	3,42			

Page 9 of 10

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

Waste code

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

## **SECTION 14: Transport information**

#### Road transport ADR:

Class: 9
Packaging group: III
Classification code: M6
Hazard ident. number: 90
UN no.: 3082
Label: 9

Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,2-Dimethoxy-1,2-diphenylethan-1-one,Isobornyl acrylate)

Tunnelcode: (E)

Railroad transport RID:

Class: 9
Packaging group: III
Classification code: M6
Hazard ident. number: 90
UN no.: 3082
Label: 9

Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (2,2-Dimethoxy-1,2-diphenylethan-1-one,Isobornyl acrylate)

Tunnelcode:

#### Inland water transport ADN:

Class: 9
Packaging group: III
Classification code: M6
Hazard ident, number:

UN no.: 3082 Label: 9

Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (2,2-Dimethoxy-1,2-diphenylethan-1-one,Isobornyl acrylate)

Marine transport IMDG:

 Class:
 9

 Packaging group:
 III

 UN no.:
 3082

 Label:
 9

 EmS:
 F-A .S-F

MSDS-No.: 153596 3311 Medical Grade Adhesive Page 10 of 10

V005.3

Seawater pollutant: Marine pollutant

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (2,2-Dimethoxy-1,2-diphenylethan-1-one,Isobornyl acrylate)

Air transport IATA:

Class: 9
Packaging group: III
Packaging instructions (passenger) 964
Packaging instructions (cargo) 964
UN no.: 3082
Label: 9

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (2,2-Dimethoxy-

1,2-diphenylethan-1-one, Isobornyl acrylate)

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content < 3 % (1999/13/EC)

### **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

R21/22 Harmful in contact with skin and if swallowed.

R23 Toxic by inhalation.

 $R36/37/38 \ Irritating to eyes, respiratory system and skin.$ 

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This safety data sheet was prepared in accordance with Council Directive 67/548/EEC and it's subsequent amendments, and Commission Directive 1999/45/EC.